UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/629,456	07/29/2003	James B. Armstrong	SEDN/141CON1	7320
	7590 09/16/200 & SHERIDAN, LLP/	EXAMINER		
SEDNA PATENT SERVICES, LLC			STOKELY-COLLINS, JASMINE N	
595 SHREWSI SUITE 100	595 SHREWSBURY AVENUE SUITE 100		ART UNIT	PAPER NUMBER
	SHREWSBURY, NJ 07702			
			MAIL DATE	DELIVERY MODE
			09/16/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/629,456	ARMSTRONG ET AL.				
Office Action Summary	Examiner	Art Unit				
	JASMINE STOKELY-COLLINS	2623				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D/ Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory period v Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. mely filed In the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 13 Ju	<u>ıne 2008</u> .					
2a)⊠ This action is <b>FINAL</b> . 2b)□ This	This action is <b>FINAL</b> . 2b) ☐ This action is non-final.					
	<del>-</del> · · · ·					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
<ul> <li>4) ☐ Claim(s) 1-20 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdray</li> <li>5) ☐ Claim(s) is/are allowed.</li> <li>6) ☐ Claim(s) 1-20 is/are rejected.</li> <li>7) ☐ Claim(s) is/are objected to.</li> <li>8) ☐ Claim(s) are subject to restriction and/o</li> </ul>	wn from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated any not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document: 2. Certified copies of the priority document: 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicat rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate				

### **DETAILED ACTION**

# Response to Arguments

1. Applicant's arguments filed 6/13/2008 have been fully considered but they are not persuasive.

On page 3 of applicant's arguments/remarks, the applicant argues that Mendelson, when modified by ISO/IEC fails to teach a unique content identifier because the stream id field "specifies the type and number of the elementary stream. The examiner disagrees. Section 0039 of applicants specification states "The UniqueID field 231 enables stream processing, storage and transmission elements within the interactive information distribution system 100 to ensure that each of a plurality of extents being stored, retrieved, processed or transmitted as part of the stream are, in fact, part of the appropriate stream, as defined by information stored within the UniqueID field 231. In this manner, the storage or transmission of corresponding extents from entirely different content streams may be avoided." The stream id field does indeed specify which elementary stream a PES packet is associated with. Page xii of ISO/IEC states "For applications that require the elementary streams which comprise a single program to be in separate streams which are not multiplexed, the elementary streams can also be encoded as separate Program Streams, one per elementary stream, with a common time base." Furthermore, the last paragraph in saction 0.7 of page xviii states "The Transport Stream and Program Stream each contain information which identifies the pertinent characteristics of, and relationships between, the elementary streams

which constitute each program." Therefore, each elementary stream comprises a single program or content, and identifying the elementary stream a packet is associated with is the same as identifying the program/content it is associated with.

Applicant also argues, on page 4 of applicant's arguments/remarks, that the motivation of "having all the necessary information to reconstruct a TS packet" does not apply. The examiner disagrees. Mendelson teaches a trailer for an MPEG transport stream, but fails to teach the components of the trailer. It would be obvious to look to the standard for MPEG transport streams to obtain the appropriate fields for the TS packets in order to comply with practice. Mendelson in combination with ISO/IEC teaches each component claimed by the applicant's claim 1, and therefore reads on the applicants claim. A prima facie case of obviousness has been established.

As for the double-patenting rejection made in the previous action, the rejection still stands.

## **Double Patenting**

2. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to

Art Unit: 2623

be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

3. Claims 1, 3, 5, and 7 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 4, 6, and 9 of U.S. Patent No. 6,604,224 in view of Mendelson et al (US 5,561,791) and the ISO/IEC 13818-1 Standard. Although the conflicting claims are not identical, they are not patentably distinct from each other because both the claims of the instant application and the Patent claims are almost identical in scope, with the exception that the Patent's claims are system claims and the instant application's claims are method claims. It would have been obvious to one of ordinary skill in the art to modify the system claim of the Patent to be a method claim in order to obtain a method for the system claim of the patent. Claim 1 of the Patent claims all the limitations set forth in the instant claim except for the extent data comprising a plurality of packets, unique content identifier, logical extent number, and a circular redundancy check.

Mendelson teaches extents (protocol data units, column 5 lines 54-58) comprising a plurality of content data packets (cells, column 5 lines 55-58). It would have been obvious to one of ordinary skill in the art at the time the invention was made to divide the extents of patent claim 4 into smaller cells in order to allow the packets to be transported in an asynchronous transfer mode (ATM) network, which is widely used in the art.

Art Unit: 2623

The ISO/IEC 13818-1 Standard teaches a unique content identifier (stream id, page 36), a logical extent number (program packet sequence counter, page 43), and a circular redundancy check (previous packet CRC, page 42). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the content identifier of patent claim 4 unique in order to easily differentiate streams, to use a CRC as the check field recited in patent claim 4 in order to employ a commonly used data checking technique, and to use a logical extent number as the analogous content sequence number field recited in claim 4 for the benefit of tracking and maintaining the order of packets in stream.

Claim 3 of application 10/629,456 corresponds to claim 4 of US Patent No. 6,604,224 B1.

Claim 5 of application 10/629,456 corresponds to claim 6 of US Patent No. 6,604,224 B1.

Claim 7 of application 10/629,456 corresponds to claim 9 of US Patent No. 6,604,224 B1.

Allowance of application claims 1, 3, 5, and 7 would result in an unjustified timewise extension of the monopoly granted for the invention defined by patent claims 4, 6, and 9. Therefore, obviousness-type double patenting is appropriate. Application/Control Number: 10/629,456 Page 6

Art Unit: 2623

## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1, 3-8, 11, and 13-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mendelson et al (US 5,561,791) in view of the ISO/IEC 13818-1 Standard, and Neel et al (US 5,838,314).

Regarding claim 1, Mendelson teaches a method for providing content-ondemand (abstract), comprising:

dividing a content stream in to a plurality of extents (protocol data units, column 5 lines 54-58) containing packetized information (cells, column 5 lines 54-58); and associating with each extent, extent data (TS packet data, column 5 lines 22-26 and 55-58) comprising a plurality of content data packets (cells, column 5 lines 55-58), and an extent trailer (column 5 lines 59-61).

Mendelson does not teach the specific fields of the trailer, however he states the trailer information is used to decompose the protocol data units into TS packets.

Application/Control Number: 10/629,456

Art Unit: 2623

The ISO standard teaches TS packets include PES header information ("The first byte of each PES packet header is located at the first available payload location of a Transport Stream packet" page 11 section 2.4.1). ISO further teaches PES headers comprise a unique content identifier (page 36 "stream id"), a logical extent number (page 43 "program packet sequence counter"), a track-type identifier (page 40 "trick mode control" and page 38 "DSM trick mode flag"), and a circular redundancy check (page 42 "previous packet CRC"). It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the PES header fields taught by ISO into the protocol data unit (PDU) taught by Mendelson for the benefit of having all the necessary information to reconstruct a TS packet that is in accordance with the widely accepted ISO standard for MPEG systems.

Page 7

Mendelson in view of ISO does not teach the packetized information is appropriate to a temporal period represented by each extent.

Neel teaches packetized extents (video contents) that each contain a specified temporal period of five seconds (column 22 lines 58-59). It would have been obvious to one of ordinary skill in the art at the time the invention was made to divide the audio and video extent data into temporal periods for the benefit of simplifying the synchronization of corresponding audio and video data packets during decoding. In this combination, the temporal period would be chosen such that the amount of data would optimally fit in each PDU with minimal stuffing required.

Regarding claim 3, when read in light of claim 1, ISO further teaches transmitting said plurality of extents of said content stream to at least one subscriber terminal in response to a request for content (page 87 section A.0.2 states that video programs are provided as requested by a customer in a video-on-demand system).

Page 8

Regarding claim 4, when read in light of claim 1, ISO further teaches said unique content identifier is associated with a particular content stream (page 4 section 2.1.20 "One elementary stream is carried in a sequence of PES packets with one and only one stream id").

Regarding claim 5, when read in light of claim 1, ISO further teaches said logical extent number (program packet sequence counter) provides a number indicative of a relative position of said extent data with respect to other extent data within said content stream (definition of program packet sequence counter "It is an optional counter that increments with each successive PES packet from a Program Stream or from an ISO/IEC 11172 System Stream or the PES packets associated with a single program definition in a Transport Stream, providing functionality similar to a continuity counter" page 43).

Regarding claim 6, when read in light of claim 5, ISO further teaches each said logical extent number is sequentially numbered within said content stream (definition of program packet sequence counter "It is an optional counter that increments with each successive PES packet from a Program Stream or from an ISO/IEC 11172 System Stream or the PES packets associated with a single program definition in a Transport Stream, providing functionality similar to a continuity counter" page 43).

Regarding claim 7, when read in light of claim 1, ISO further teaches said track-type (trick mode control) identifier comprises indicia of a type of track selected from the group consisting of a play track (indicated by trick mode flag set to 0 which sets trick mode status to false, as described on page 20 under Trick Mode), a fast-forward track, and a reverse-play track (fast reverse and slow reverse) (page 40 under trick mode control definition and Table 2-21).

Regarding claim 8, when read in light of claim 1, ISO further teaches performing a circular redundancy check (CRC) operation on said plurality of content data packets of extent data during initial formation of said extent data (page 42 teaches calculating a CRC value for a data packet and including it in the header).

Application/Control Number: 10/629,456 Page 10

Art Unit: 2623

Regarding claim 11, Mendelson teaches an apparatus for providing content-on-demand (figure 1 element 110: video server) comprising: means (figure 1 elements 114 and 700: encoder and transport controller) for dividing a content stream in to a plurality of extents (protocol data units, column 5 lines 54-58) containing packetized information (cells, column 5 lines 54-58); and means (figure 1 element 114: encoder) for associating with each extent, a extent data (TS packet data, column 5 lines 22-26 and 55-58) comprising a plurality of content data packets (cells, column 5 lines 55-58), and an extent trailer (column 5 lines 59-61)

Mendelson does not teach the specific fields of the trailer, however he states the trailer information is used to decompose the protocol data units into TS packets.

The ISO standard teaches TS packets include PES header information ("The first byte of each PES packet header is located at the first available payload location of a Transport Stream packet" page 11 section 2.4.1). ISO further teaches PES headers comprise a unique content identifier (page 26 "stream id"), a logical extent number (page 43 "program packet sequence counter"), a track-type identifier (page 40 "trick mode control" and page 38 "DSM trick mode flag"), and a circular redundancy check (page 42 "previous packet CRC").

Mendelson in view of ISO does not teach the packetized information is appropriate to a temporal period represented by each extent.

Neel teaches packetized extents (video contents) that each contain a specified temporal period of five seconds (column 22 lines 58-59).

Regarding claim 13, when read in light of claim 11, Mendelson further teaches means (video server) for transmitting said plurality of extents of said content stream to at least one subscriber terminal in response to a request for content (column 1 lines 18-19).

Regarding claim 14, please see analysis of claim 4.

Regarding claim 15, please see analysis of claim 5.

Regarding claim 16, please see analysis of claim 4.

Regarding claim 17, please see analysis of claim 7.

Regarding claim 18, please see analysis of claim 8.

6. Claims 2 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mendelson et al (US 5,561,791) in view of the ISO/IEC 13818-1 Standard and Neel et al (US 5,838,314), and further in view of Mourad (US 5,678,061).

Regarding claim 2, when read in light of claim 1, Mendelson in view of ISO teaches the method of claim 1.

Mendelson in view of ISO does not teach striping said plurality of extents of said content stream across a plurality of disk drives.

Mourad teaches striping said plurality of extents of said content stream across a plurality of disk drives (column 1 lines 44-56). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the striping method taught by Mourad to store the extents taught by Mendelson in view of ISO for the benefit of providing a storage system that is less affected by the failure of a disk.

Regarding claim 12, when read in light of claim 11, Mourad further teaches

means (figure 1 element 25: host processor) for striping said plurality of extents

of said content stream across a plurality of disk drives (column 4 lines 27-32).

7. Claims 9 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mendelson et al (US 5,561,791) in view of the ISO/IEC 13818-1 Standard and Neel et al (US 5,838,314), and further in view of Ghodrat et al (US 6,717,947 B1).

Regarding claim 9, when read in light of claim 8, Mendelson in view of ISO teaches the method of claim 8. Mendelson does not teach replacing corrupted

extent data with a replacement extent data in an instance where said CRC operation identifies said corrupted extent data.

Ghodrat teaches replacing a corrupted extent data with a replacement extent data in an instance where said CRC operation identifies said corrupted extent data (column 2 lines 61-64, column 9 line 63- column 10 line 2). It would have been obvious to one of ordinary skill in the art at the time the invention was made to replace corrupted data, as taught by Ghodrat, in the extent data taught by Mendelson in view of ISO for the benefit of maintaining data integrity.

Regarding claim 19, please see analysis of claim 9.

8. Claims 10 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mendelson et al (US 5,561,791) in view of the ISO/IEC 13818-1 Standard and Neel et al (US 5,838,314), and further in view of Anderson et al (US 6,275,507 B1).

Regarding claim 10, when read in light of claim 8, Mendelson in view of ISO teaches the method of claim 8.

Mendelson in view of ISO does not teach masking a corrupted extent data in an instance where said CRC operation identifies a corrupted extent data.

Anderson teaches masking a corrupted extent data in an instance where said CRC operation identifies a corrupted extent data (column 11 lines 39-42). It would have been obvious to one of ordinary skill in the art at the time the

invention was made to combine Anderson's teaching of masking corrupted data for the benefit of preserving the quality of data.

Regarding claim 20, please see analysis of claim 10.

### Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JASMINE STOKELY-COLLINS whose telephone number is (571) 270-3459. The examiner can normally be reached on M-Th 9:30-5:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Koenig can be reached on (571) 272-7296. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/629,456 Page 15

Art Unit: 2623

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jasmine Stokely-Collins/ Examiner, Art Unit 2623

/Andrew Y Koenig/ Supervisory Patent Examiner, Art Unit 2623